



Uniview Technologies

We are the pioneer and leader of IP video surveillance. Heritages profound IT technologies, was founded independently in December, 2011. We are the 3rd largest in the overall video surveillance market in China and 4th in the global market. We insist on open cooperation, focusing on high quality and improving innovative ability.

Product Line:

Network Cameras, NVR's, IP Camera Testers, Monitors, all-in-one VMS Servers, IP SAN's, and PoE Switches

WHY CHOOSE UNV PRODUCTS?

- World's Leading Surveillance Solution Provider
- Local Inventory, Local Support
- Less than 1% RMA Rate
- No Online Pricing for public
- Made Specially for Canadian Weather
- Easy to use, Scalable & Flexible Products
- Mobile & Computer softwares for live view.
- Works perfectly with major VMS Softwares.
- Essential, Advance & Pro series of products for different use cases.



Essential Series: Entry Level Products, Suitable for Residence / Small Business

IP CAMERAS	IPC3614SR3-ADF28(40)KM-G IPC3614SR3-ADF28KM-G-BK	IPC3618SR3-ADF28(40)KM-G	IPC3634SR3-ADZK-G	IPC3635SR3-ADZK-G	IPC322SR3-DVPF28-G	IPC324SR3-DSF28KM-G IPC324SR3-DSF40KM-G	IPC354SR3-ADF28KM-G	IPC328SR3-ADF28KM-G IPC328SR3-ADF40KM-G
								
	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67 	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8-12mm Motorized) • IR 30m • Built In Mic, IP67 	<ul style="list-style-type: none"> • 5MP 2592x1944 20fps • Lens (2.8-12mm Motorized) • IR 30m • Built In Mic, IP67 	<ul style="list-style-type: none"> • 2MP 1920x1080 30fps • Lens (2.8mm Fixed) • IR 30m • IP67 & IK10 	<ul style="list-style-type: none"> • 4MP 2688x1520 25fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • IP67 & IK10 	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8mm Fixed) • IR 30m, Harness free • Built In Mic, Alarm I/O 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8mm Fixed) • IR 30m • Built In Mic, IP67 & IK10
IPC3532ER-DV-G	IPC3534SR3-ADZK-G IPC3534SR3-ADZK-G-BK	IPC2124SR3-ADF28KM-G IPC2124SR3-ADF40KM-G	IPC2128SR5-ADF28KM-G IPC2128SR5-ADF40KM-G	IPC6415SR-X5UPW-VG	IPC675LFW-AX4DUPKC-VG <i>Active Deterrence PTZ</i>	IPC9312LFW-AF28-2X4 <i>Fixed Lens + PTZ</i>	IPC6612SR-X25(33)-VG <i>SID Based Auto Tracking</i>	
								
<ul style="list-style-type: none"> • 2MP 1920x1080 30fps • Lens (2.8-12mm Motorized) • IR 40m • IP67 & IK10 	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8-12mm Motorized) • IR 30m • Alarm I/O, IP66 & IK10 	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8mm, 4.0mm Fixed) • IR 50m • IP67 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.7-13.5mm Motorized) • 5x Optical Zoom, IR 30m • Build In Mic & Speaker 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.8-12mm Motorized) • 4x Optical Zoom, IR 50m • Build In Mic & Speaker, IP66 	<ul style="list-style-type: none"> • 2 x 2MP 1920x1080 25fps • Lens (2.8-12mm Motorized) • 4x Optical Zoom, IR 50m • Build In Mic, IP66 	<ul style="list-style-type: none"> • 2MP 1920x1080 30fps • Lens (5-125mm Motorized) • 25X, 33X Optical Zoom • IR 150m, IP66 	

Do You Know?

-  **ColorHunter**
24/7 Colorful Image
-  **Fisheye**
360° Panoramic View
-  **Active Deterrence**
Light & Sound Alarm
-  **AI**
Smart Features
-  **-40° C**
Weather resistant

Advance Series: Small & Medium Project Applications, High Cost Performance

IPC3614SR3-ADF28KMC-DL <i>ColorHunter</i>	IPC3615SB-ADF28(40)KM-I0 IPC3615SB-ADF28KM-I0-BK	IPC3618SB-ADF28(40)KM-I0 IPC3618SB-ADF28KM-I0-BK	IPC3615SB-ADF28KMC-I0 <i>Active Deterrence, 24/7 CI & AI</i>	IPC3615SE-ADF28KM-WL-I0 <i>ColorHunter</i>	IPC3618SE-ADF28KMC-I0 <i>Active Deterrence, 24/7 CI & AI</i>	IPC3605SB-ADF16KM-I0 <i>180° View</i>	IPC3634SE-ADZK-WL-I0 <i>ColorHunter</i>	IPC3638SB-ADZK-I0 <i>AI & IK10</i>
								
<ul style="list-style-type: none"> • 4MP 2688x1520 25fps • Lens (2.8mm, 4.0mm Fixed) • IR & Warm LED 30m • Min 0.003 Lux 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m • Built In Mic, IP67 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.8mm Fixed) • LED Range 30m • Built In Mic & Speaker, IP67 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.8mm Fixed) • LED Range 30m • Built In Mic, IP67 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8mm Fixed) • LED Range 30m • Built In Mic & Speaker, IP67 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (1.6mm Fixed), • LED Range 30m • 180° Wide View 	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8-12mm Motorized) • LED Range 30m • Min 0.0005 Lux, IP67 & IK10 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8-12mm Motorized) • IR 40m, Built In Mic • Min 0.003 Lux, IP67 & IK10
IPC3415SB-ADF28KM-I0	IPC3255SB-DF28(40)K-I0 IPC3255SB-DF28KM-I0-BK	IPC3285SB-ADF28KM-I0 IPC3285SB-ADF40KM-I0	IPC3232SB-ADZK-I0	IPC815SB-ADF14K-I0 <i>360° Fish Eye</i>	IPC2124SR3-ADF28KMC-DL <i>ColorHunter</i>	IPC2125SB-ADF28KM-I0 IPC2125SB-ADF40KM-I0	IPC2125SB-ADF28KMC-I0 <i>Active Deterrence, 24/7 CI & AI</i>	IPC2128SB-ADF28KMC-I0 <i>Active Deterrence, 24/7 CI & AI</i>
								
<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8mm Fixed) • IR 30m, Built In Mic • Min 0.003 Lux, IP67 & IK10 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m, Alarm I/O • Min 0.003 Lux, IP67 & IK10 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8mm, 4.0mm Fixed) • IR 30m, Alarm I/O • Min 0.003 Lux, IP67 	<ul style="list-style-type: none"> • 2MP 1920x1080 30fps • Lens (2.7-13.5mm Motorized) • Built In Mic, IR 40m • Min 0.0005 Lux, IP67 & IK10 	<ul style="list-style-type: none"> • 5MP 2592x1944 30fps • Lens (1.4mm Fixed) • 360° Panoramic, IR 10m • Build In Mic, IP66 & IK10 	<ul style="list-style-type: none"> • 4MP 2688x1520 25fps • Lens (2.8mm Fixed) • IR & Warm LED 30m • Min 0.003 Lux, IP67 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.8mm, 4.0mm Fixed) • IR 40m, Build In Mic • Min 0.003 Lux, IP67 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.8mm Fixed) • LED 30m • Build In Mic & Speaker, IP67 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8mm Fixed) • LED 30m • Build In Mic & Speaker, IP67

Advance Series: Small & Medium Project Applications, High Cost Performance

IPC2225SE-DF40K-WL-I0 <i>ColorHunter</i>	IPC2105SB-ADF16KM-I0 <i>180° View</i>	IPC6424SR-X25-VF <i>SID Based Auto Tracking</i>	IPC6622SR-X33-VF <i>SID Based Auto Tracking</i>	IPC6624SR-X33-VF <i>SID Based Auto Tracking</i>	IPC94144SFW-X25-F40C <i>Fixed Lens + PTZ</i>
					
<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (4.0mm Fixed) • Alarm I/O, Audio I/O • IR 30m, IP67 & IK10 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (1.6mm Fixed) • LED 20m, 180° Wide View • IP67 & IK10 	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (4.8-120mm Motorized) • 25X Optical Zoom • LED 100m, IP67 & IK10 	<ul style="list-style-type: none"> • 2MP 1920x1080 30fps • Lens (4.5-148.5mm Motorized) • 33X Optical Zoom • IR 150m, IP66 	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (4.5-148.5mm Motorized) • 33X Optical Zoom • IR 150m, IP66 	<ul style="list-style-type: none"> • 2 x 4MP 2688x1520 25fps • Lens (4.8-120mm Motorized) • 25X Optical Zoom, IR 100m • Warm LED 100m, IP66

Do You Know?

UNV Devices are compatible with major VMS Softwares.



Professional Series: High-end Application (Airports/ Highways/ Safety/ Buildings/ Retail Chains etc.)

IPC3638SE-ADF28K-WL-I0 <i>ColorHunter</i>	IPC3638EB-ADF28K-WL-I0 <i>140dB, Colohunter</i>	IPC3235SB-ADZK-I0	IPC3234SA-DZK	IPC3238SB-ADZK-I0 <i>AI</i>	IPC3734SE-ADZK-I0	IPC3738SE-ADZK-I0	IPC86CEB-AF18KC-I0 <i>360° Fish Eye</i>	IPC2325SB-DZK-I0 <i>IK10</i>
								
<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8mm Fixed) • Min 0.0005 Lux, LED 30m • Build In Mic, IP67 & IK10 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8mm Fixed) • Min 0.0005 Lux, LED 40m • 140dB WDR, IP67 & IK10 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.7-13.5mm Motorized) • Min 0.002 Lux, IR 40m • IP67 & IK10 	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8-12mm Motorized) • Min 0.0005 Lux, IR 40m • Alarm I/O, IP67 & IK10 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8-12mm Motorized) • IR 40m, Alarm I/O & Audio I/O • Built In Mic, IP67 & IK10 	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8-12mm Motorized) • Min 0.0005 Lux, IR 40m • IP67, IK10 & -40° Weatherproof 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 30fps • Lens (2.8-12mm Motorized) • Min 0.0008 Lux, IR 40m • IP67, IK10 & -40° Weatherproof 	<ul style="list-style-type: none"> • 12MP 4000x3000 20fps • Lens (1.8mm Fixed), IR 15m • 360° Panoramic, IP66 & IK10 • Build In Mic & Speaker 	<ul style="list-style-type: none"> • 5MP 2880x1620 30fps • Lens (2.7-13.5mm Motorized) • Min 0.002 Lux, IR 50m • Alarm I/O, IP67 & IK10
IPC2324SE-ADZK-WL-I0 <i>ColorHunter</i>	IPC2K24SE-ADF40KMC-WL-I0 <i>ColorHunter</i>	IPC264SA-DZK	IPC2328SB-DZK-I0 <i>AI</i>	TIC2621SR-F3-4F4AC-VD <i>Thermal Intrusion Detection</i>	IPC6652EL-X33-VF <i>SID Based Auto Tracking</i>	IPC6658SR-X25-VF IPC6658SR-X25-VF-BK	IPC6858ER-X40-VF <i>SID Based Auto Tracking</i>	
								
<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8-12mm Motorized) • Min 0.0005 Lux, LED 30m • Alarm I/O, IP67 & IK10 	<ul style="list-style-type: none"> • 4MP 3840x1080 25fps • Lens (4.0mm Fixed) • 160° Wide View, IR 30m • Alarm I/O, IP67 	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (2.8-12mm Motorized) • Min 0.0005 Lux, IR 50m • Alarm I/O, IP67 & IK10 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 20fps • Lens (2.8-12mm Motorized) • Min 0.003 Lux, IR 50m • Alarm I/O, IP67 & IK10 	<ul style="list-style-type: none"> • 4MP 2688x1520 30fps • Lens (4mm Fixed) • IR 50m, IP67 • Thermal Detection 3.5-25m 	<ul style="list-style-type: none"> • 2MP 1920x1080 60fps • Lens (4.5-148.5mm Motorized) • Min 0.001 Lux, VF Laser 500m • 33X Optical Zoom, IP66 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 30fps • Lens (6-150mm Motorized) • VF Laser 200m, Alarm I/O • 25X Optical Zoom, IP66 	<ul style="list-style-type: none"> • 4K, 8MP 3840x2160 30fps • Lens (5.7-228mm Motorized) • IR 250m, Alarm I/O • 40X Optical Zoom, IP66 	

Do You Know?

UNV Devices support



UNV is the Full member of Onvif

PoE SWITCHED & OPTICAL FIBER

PW-POE-P30	PW2020-4T-IN	PW2020-5G-IN	PW2020-6T2G-EX	PW2020-6T2G-IN	PW2020-14T2G-IN	PW2020-22T2G-IN	PW-SC-2215G or 2225G
							
<ul style="list-style-type: none"> • 2 Port PoE Splitter • Utilize 1 Network Cable • Support up to 30W • Power up to 3 Cameras 	<ul style="list-style-type: none"> • 4 Port PoE Switch • & 2- 10/100 Mbps Non-PoE • Watchdog AI • PoE Port 4 up to 60W 	<ul style="list-style-type: none"> • 4 Port PoE Switch • & 2 Uplink, 1 RJ45, 1 SFP • Watchdog AI • PoE Port 4 up to 60W 	<ul style="list-style-type: none"> • 8 Port Outdoor PoE Switch • & 2 Uplink Ports • Watchdog AI 	<ul style="list-style-type: none"> • 8 Port PoE Switch • & 2 Uplink, 1 SFP • Watchdog AI • PoE Port 7 & 8 up to 60W 	<ul style="list-style-type: none"> • 16 Port PoE Switch • & 2 non-PoE GB Ports & 1 SFP • Watchdog AI • PoE Port 15 & 16 up to 60W 	<ul style="list-style-type: none"> • 24 Port PoE Switch • & 2 non-PoE GB Uplink Ports • Watchdog AI • PoE Port 23 & 24 up to 60W 	<ul style="list-style-type: none"> • Outdoor Grade, Single Model • 150-250M Single Core Fiber • Support 1000Mbps Speed • Support 1000m Distance

NETWORK VIDEO RECORDERS

Essential Series

NVR301-04X-P4
NVR301-08X-P8



- 4/8 Ch IP Input
- 4/8 PoE Ports
- 1 HDD Slot
- 4K Display Resolution
- 8MP Recording Resolution

NVR501-04B-P4
NVR501-08B-P8



- 4/8 Ch IP Input
- 4/8 PoE Ports
- 1 HDD Slot
- Bandwidth 80 Mbps
- 8MP Recording Resolution

NVR302-08S2-P8



- 8 Ch IP Input
- 8 PoE Ports
- 2 HDD Slots
- 4K Display Resolution
- 8MP Recording Resolution

NVR302-16S2



- 16 Ch IP Input
- Dual NICs
- 2 HDD Slots
- 4K Display Resolution
- 8MP Recording Resolution

Advance Series

NVR302-16E2



- 16 Ch IP Input
- 2 HDD Slots
- 4K Display Resolution
- 8MP Recording Resolution

NVR302-08E2-P8
NVR302-16E2-P16



- 8/16 Ch IP Input
- 2 HDD Slots
- Bandwidth 320 Mbps
- 12MP Recording Resolution

NVR304-16E2-P16
NVR304-32E2-P16



- 16/32 Ch IP Input
- 16 PoE Ports
- 4 HDD Slots
- 4K Display Resolution
- 12MP Recording Resolution

Do You Know?



If, UNV Camera installed with UNV NVRs can support **Long Range PoE Up to 250m**

Professional Series

NVR304-32X



- 32 Ch IP Input
- Dual NICs
- 4 HDD Slot
- Bandwidth 384 Mbps
- 12MP Recording Resolution

NVR308-64R



- 64 Ch IP Input
- Dual NICs
- 8 HDD Slots
- 4K Display Resolution
- 12MP Recording Resolution

NVR516-128



- 128 Ch IP Input
- 4 NICs
- 16 HDD Slots
- Bandwidth 512 Mbps
- 12MP Recording Resolution

NVR824-256R



- 256 Ch IP Input
- 4 NICs
- 24 HDD Slots
- Bandwidth 768 Mbps
- 12MP Recording Resolution

DISPLAY SOLUTION

KO-LED22A



- 22" 1080p Resolution
- Supports 24/7 working
- Support Audio Output
- HDMI & VGA

KO-LED24A




- 24" Self Adapt 4K Resolution
- Supports 24/7 working
- Support Audio Output
- HDMI & VGA

Do You Know?

Live view & Control your UNV devices from anywhere around the world with EZ View (Mobile app) & EZ Station (Desktop Software)



EZ View (Mobile App)



EZ Station (Desktop Software)

Compatible with Windows & Mac



Scan the QR-Code to download the EZ View or EZ Station

HYBRID SOLUTIONS

XVR301-04Q
XVR301-08Q



- 6/12 Ch IP Input
- 4/8 BNC'S
- 1 HDD Slot
- 1080p Display Resolution
- 8MP Recording Resolution

XVR302-08Q



- 12 Ch IP Input
- 8 BNC'S
- 2 HDD Slots
- 4K Display Resolution
- 8MP Recording Resolution

XVR301-16G



- 16 Ch IP Input
- 16 BNC'S
- 1 HDD Slot
- HD Display Resolution
- 5MP Recording Resolution

XVR302-16Q3



- 16 Ch IP Input
- 16 BNC'S
- 2 HDD Slot
- 4K Display Resolution
- 8MP Recording Resolution

AHD3615SR3-F28-C
AHD3615SR3-F28-WL



- 5MP Resolution
- K05, 1/2.5 Sensor
- Lens (2.8mm Fixed)
- IR, Min Lux (0), LED

AHD325SR3-F28



- 5MP Resolution
- K05, 1/2.9 Sensor
- Lens (2.8mm Fixed)
- IR, Min Lux (0), Vandalproof



Bi-lingual Technical Support Team
Available Mon - Friday: 8am - 8pm
Local: 647.559.3494
Toll Free: 855.956.3494
Email: support@univiewcanada.com

Do You Know?

UNV Has **Low RMA Rate of below 1%**

UNV Product Warranty



IP Cameras
3 Years



PTZ Cameras
2 Years



Network Video Recorders
3 Years



www.univiewcanada.com

Sales: sales@univiewcanada.com

Technical Support: Support@univiewcanada.com

Disclaimer: All rights reserved, including final interpretation and content amendment.

Your Regional Distributor Name